
End-of-Sale Announcement for Summit WLAN Controllers, Altitude Access Points and ADSP appliance

This document announces

- End-of-sale of Summit WM3700, WM3600 & WM3400 Series Wireless Controllers
- End-of sale for Altitude AP4760, AP4750, AP4710, AP4600, AP4532, AP4522, AP4521, AP4511, AP4022 & AP4021 Series Access Points
- End-of-sale for AirDefense Services Platforms (ADSP)

Products Affected

Part Number	Product Name	Product Description
Summit WM3700 Controllers		
15710	Summit WM3700 WLAN Controller	Summit WM3700 WLAN controller with 4xGE Cu/SFP ports, 1xFE management port, and 1x serial console port. Has 1 CF card slot, 2 USB slots. Can manage up to 1,024 Access Points.
15711	16AP Lic for Summit WM3700	16 AP capacity license for Summit WM3700 controller.
15712	64AP Lic for Summit WM3700	64 AP capacity license for Summit WM3700 controller.
15718	256 AP Lic for Summit WM3700	256 AP capacity license for Summit WM3700 controller.
15713	RTLS Lic for Summit WM3700	Real Time Location System (RTLS) feature upgrade license for Summit WM3700 controller. Enables the API between the RTLS engine in controller and 3rd party RTLS application.
15737	AdvSecurity Lic for WM3700	Advanced Security feature upgrade license for Summit WM3700 controller. Enables Role Based Firewall Configuration and increases number of IPSEC VPN tunnels from 600 to 2048.
15781	Adv WIPS license for WM3700	Advanced WIPS upgrade for WM3700

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
Summit WM3600 Controllers		
15714	Summit WM3600 WLAN Controller	Summit WM3600 WLAN controller with 1x GE Cu/SFP Uplink port, 8x GE PoE ports, 1x FE Mgmt port, 1x USB 2.0 Host 1x ExpressCard™ Slot, 1x PCI-X, 1x Serial Port, 2 USB slots. Can manage up to 256 APs.
15715	16 AP Lic for Summit WM3600	16 AP capacity license for Summit WM3600 controller.
15719	64 AP Lic for Summit WM3600	64 AP capacity upgrade license for Summit WM3600 controller
15716	RTLS Lic for Summit WM3600	Real Time Location System (RTLS) feature upgrade license for Summit WM3600 controller. Enables the API between the RTLS engine in controller and 3rd party RTLS application.
15736	AdvSecurity Lic for WM3600	Advanced Security feature upgrade license for Summit WM3600 controller. Enables Role Based Firewall Configuration and increases number of IPSEC VPN tunnels from 100 to 1024.
15734	3G Lic for Summit WM3600	33G feature upgrade license for Summit WM3600 controller. Enables the operation of an approved 3G card plugged into the express card slot in Summit WM3600. Require relevant 3G service from cellular carrier. Approved 3G card for the 3G service to be procured from 3rd party supplier.
15780	Adv WIPS license for WM3600	Advanced WIPS upgrade for WM3600
Summit WM3400 Controllers		
15717	Summit WM3400 WLAN Controller	Summit WM3400 WLAN controller with 5xGE PoE+ LAN ports, 1xGE WAN port and serial console port. Includes 1x ExpressCard™ Slot and 1x USB port. Bundled with license for 6 Access Points.
15771	Summit WM3411 US	Summit WM3411 wireless controller and access point with dual, integrated, dual-band 802.11abgn radios. For the US Regulatory Domain

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
15772	Summit WM3411 ROW	Summit WM3411 wireless controller and access point with dual, integrated, dual-band 802.11abgn radios. For the Rest of World Regulatory Domain.
15797	Summit WM3411 EU	Summit WM3411 wireless controller and access point with dual, integrated, dual-band 802.11abgn radios. For the European Union Regulatory Domain.
15738	Rackmount kit for Summit WM3400	Rack mount kit for mounting Summit WM3400 controller and the power module to a 19' rack. Optional accessory
15774	Facade Antenna for WM3411	3x3 MiMo Facade Antenna for the Summit WM3411 Wireless Controller
15778	6AP lic upgrade WM3400&3411	6 Wireless AP license upgrade for the Summit WM3411 & WM3400
15779	Adv WIPS for WM3400&3411	Advanced WIPS upgrade for Summit WM3400&WM3411
Access Point 4760 Outdoor		
15796	Altitude 4763 outdoor US	Altitude AP4763 tri-radio Independent Outdoor Access Point for US regulatory domain, 802.11a/b/g/n, 3x3 MIMO. External antennas. Powered by 802.3af/at PoE or by use of a PoE injector.
15910	Altitude 4763 outdoor ROW	Altitude AP4763 tri-radio Independent Outdoor Access Point for Rest of World regulatory domain, 802.11a/b/g/n, 3x3 MIMO. External antennas. Powered by 802.3af/at PoE or by use of a PoE injector.
15812	Altitude 4763 outdoor EU	Altitude AP4763 dual-radio with sensor Independent Outdoor Access Point for European Union regulatory domain, 802.11a/b/g/n, 3x3 MIMO. External antennas. Powered by 802.3at PoE.
15794	AP4762 outdoor US	Altitude AP4762 dual-radio Independent Outdoor Access Point for US regulatory domain, 802.11a/b/g/n, 3x3 MIMO. External antennas. Powered by 802.3af/at PoE or by use of a PoE injector.

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
15795	AP4762 outdoor ROW	Altitude AP4762 dual-radio Independent Outdoor Access Point for Rest of World regulatory domain, 802.11a/b/g/n, 3x3 MIMO. External antennas. Powered by 802.3af/at PoE or by use of a PoE injector.
15811	AP4762 outdoor EU	Altitude AP4762 dual-radio Independent Outdoor Access Point for European Union regulatory domain, 802.11a/b/g/n, 3x3 MIMO. External antennas. Powered by 802.3at PoE.
Access Point 4750 Tri Radio 11a/b/g/n Indoor		
15753	Altitude 4750-US abgn TriRadio	Altitude 4750 tri-radio 802.11 a/b/g/n indoor adaptive Access Point for the US regulatory domain
15754	Altitude 4750-ROW abgn TriRadio	Altitude 4750 tri-radio 802.11 a/b/g/n indoor adaptive Access Point for the Rest of World regulatory domain-excluding Israel
15759	Altitude 4750-EU abgn TriRadio	Altitude 4750 tri-radio 802.11 a/b/g/n indoor adaptive Access Point for the European Union regulatory domain
Access Point 4710 Dual Radio 11a/b/g/n Indoor		
15751	Altitude 4710-US abgn DualRadio	Altitude 4710 dual-radio 802.11 a/b/g/n indoor adaptive Access Point for the US regulatory domain
15752	Altitude 4710-ROW abgn DualRadio	Altitude 4710 dual-radio 802.11 a/b/g/n indoor adaptive Access Point for the Rest of World regulatory domain-excluding Israel
15750	Altitude 4710-EU abgn DualRadio	Altitude 4710 dual-radio 802.11 a/b/g/n indoor adaptive Access Point for the European Union regulatory domain
Access Point 4611/4621 Single Radio 11a/b/g/n Indoor		
15757	Altitude 4611-US abgn IntAnt	Altitude 4611 single-radio 802.11 a/b/g/n indoor thin Access Point for the US regulatory domain. Includes an internal omni-directional antenna and 1x 10/100/1000 PoE port.
15735	Altitude 4611-ROW abgn IntAnt	Altitude 4611 single-radio 802.11 a/b/g/n indoor thin Access Point for the Rest of World regulatory domain. Includes an internal omni-directional antenna and 1x 10/100/1000 PoE port.
15760	Altitude 4611-EU abgn IntAnt	Altitude 4611 single-radio 802.11 a/b/g/n indoor thin Access Point for the European Union regulatory domain. Includes an

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
		internal omni-directional antenna and 1x 10/100/1000 PoE port.
15758	Altitude 4621-US abgn ExtAnt	Altitude 4621 single-radio 802.11 a/b/g/n indoor thin Access Point for the US regulatory domain. Includes 3x detachable external omni-directional paddle antennas and 1x 10/100/1000 PoE port. Plenum rated
15749	Altitude 4621-ROW abgn ExtAnt	Altitude 4621 single-radio 802.11 a/b/g/n indoor thin Access Point for the Rest of World regulatory domain-excluding Israel. Includes 3x detachable external omni-directional paddle antennas and 1x 10/100/1000 PoE port. Plenum rated
15770	Altitude 4621-EU abgn ExtAnt	Altitude 4621 single-radio 802.11 a/b/g/n indoor thin Access Point for the European Union regulatory domain. Includes 3x detachable external omni-directional paddle antennas and 1x 10/100/1000 PoE port
Access Point 4610/4620 Dual Radio 11a/b/g/n Indoor		
15724	Altitude 4610-US abgn InAn AP	Altitude 4610 dual-radio 802.11a/b/g/n indoor Access Point for US regulatory domain. Has one 10/100/1000 PoE port
15725	Altitude 4610-ROW abgn InAn AP	Altitude 4610 dual-radio 802.11a/b/g/n indoor Access Point for Rest of the World regulatory domain-except Israel. Has one 10/100/1000 PoE port
15727	Altitude 4610-EU abgn InAn AP	Altitude 4610 dual-radio 802.11a/b/g/n indoor Access Point for European Union regulatory domain. Has one 10/100/1000 PoE port
15730	Altitude 4620-US abgn ExAn AP	Altitude 4620 dual-radio 802.11a/b/g/n indoor Access Point for US regulatory domain. Has one 10/100/1000 PoE port
15731	Altitude 4620-ROW abgn ExAn AP	Altitude 4620 dual-radio 802.11a/b/g/n indoor Access Point for Rest of the World regulatory domain-except Israel. Has one 10/100/1000 PoE port
15776	Altitude 4620-EU abgn ExAn AP	Altitude 4620 dual-radio 802.11a/b/g/n indoor Access Point for European Union regulatory domain. Has one 10/100/1000 PoE port

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
Access Point 4532 Dual Radio 11a/b/g/n Indoor		
15764	AP4532i int ant US	Altitude AP4532i internal antenna Access Point for indoors installations for sale in the USA
15765	AP4532i int ant ROW	Altitude AP4532i internal antenna Access Point for sale WorldWide
15850	AP4532i int ant IL	Altitude AP4532i dual-radio Independent indoor Access Point for Israel regulatory domain
15798	AP4532i int ant EU	Altitude AP4532i dual-radio Independent indoor Access Point for European Union regulatory domain
15767	AP4532e ext ant US	Altitude AP4532e external antenna Access Point for indoor installations for sale in the USA
15768	AP4532e ext ant ROW	Altitude AP4532e external antenna Access Point for indoor installations for sale worldwide
15799	AP4532e ext ant EU	Altitude AP4532e dual-radio Independent indoor Access Point for European Union regulatory domain
Access Point 4522 Dual Radio 11a/b/g/n Indoor		
15993	AP4522i int ant US	Altitude AP4522i dual-radio Independent indoor Access Point for US regulatory domain
15994	AP4522i int ant ROW	Altitude AP4522i dual-radio Independent indoor Access Point for Rest of World regulatory domain
15815	AP4522i int ant EU	Altitude AP4522i dual-radio Independent indoor Access Point for European Union regulatory domain
15995	AP4522e ext ant US	Altitude AP4522e dual-radio Independent indoor Access Point for US regulatory domain
15996	AP4522e ext ant ROW	Altitude AP4522e dual-radio Independent indoor Access Point for Rest of World regulatory domain
15816	AP4522e ext ant EU	Altitude AP4522e dual-radio Independent indoor Access Point for European Union regulatory domain
Access Point 4521 Single Radio 11a/b/g/n Indoor		
15789	AP4521i int ant US	Altitude AP4521i single-radio Independent indoor Access Point for US regulatory domain

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
15790	AP4521i int ant ROW	Altitude AP4521i single-radio Independent indoor Access Point for Rest of World regulatory domain
15809	AP4521i int ant EU	Altitude AP4521i single-radio Independent indoor Access Point for European Union regulatory domain
15791	AP4521e ext ant US	Altitude AP4521e single-radio Independent indoor Access Point for US regulatory domain
15793	AP4521e ext ant ROW	Altitude AP4521e single-radio Independent indoor Access Point for US regulatory domain
15810	AP4521e ext ant EU	Altitude AP4521e single-radio Independent indoor Access Point for European Union regulatory domain
Wall Plate Access Point 4511 Single Radio		
15761	AP4511 Wall Plate AP US	Altitude AP4511 Single radio 802.11a/b/g/n Wall Plate Access Point. 2x2 MIMO. Low profile. One Fast Ethernet PoE uplink port, one Fast Ethernet LAN port included. US-only version.
15762	AP4511 Wall Plate AP ROW	Altitude AP4511 Single radio 802.11a/b/g/n WallPlate Access Point. 2x2 MIMO. Low profile. One Fast Ethernet PoE uplink port, one Fast Ethernet LAN port included. Rest of World (ROW) regulatory domain.
15782	AP4511 Wall Plate AP EU	Altitude AP4511 Single radio 802.11a/b/g/n WallPlate Access Point. 2x2 MIMO. Low profile. One Fast Ethernet PoE uplink port, one Fast Ethernet LAN port included. European Union regulatory domain.
Access Point 4022 Dual Radio 11a/b/g/n Indoor		
15911	AP4022i int ant US	Altitude AP4022i dual-radio thin (dependent) indoor Access Point for US regulatory domain, 802.11a/b/g/n, 2x2 MIMO, Includes internal omni-directional antennas. Powered by 802.3af/at PoE or by use of a PoE injector.
15912	AP4022i int ant ROW	Altitude AP4022i dual-radio thin (dependent) indoor Access Point for Rest of World regulatory domain, 802.11a/b/g/n, 2x2 MIMO, Includes internal omni-directional antennas. Powered by 802.3af/at PoE or by use of a PoE injector.

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
15813	AP4022i int ant EU	Altitude AP4022i dual-radio dependent indoor Access Point for European Union regulatory domain, 802.11a/b/g/n, 2x2 MIMO, integrated internal omni-directional antennas. Powered by 802.3af/at PoE.
15913	AP4022e ext ant US	Altitude AP4022e dual-radio thin (dependent) indoor Access Point for US regulatory domain, 802.11a/b/g/n, 2x2 MIMO, External antennas not included-must separately up to 4 paddle antennas
15916	AP4022e ext ant ROW	Altitude AP4022e dual-radio thin (dependent) indoor Access Point for Rest of World regulatory domain, 802.11a/b/g/n, 2x2 MIMO, External antennas not included-must separately up to 4 paddle antennas
15814	AP4022e ext ant EU	Altitude AP4022e dual-radio dependent indoor Access Point for European Union regulatory domain, 802.11a/b/g/n, 2x2 MIMO, External antennas not included-must order separately up to 4 paddle antennas
Access Point 4021 Single Radio 11a/b/g/n Indoor		
15783	AP4021i int ant US	Altitude AP4021i single-radio thin (dependent) indoor Access Point for US regulatory domain, 802.11a/b/g/n, 2x2 MIMO, Includes internal omni-directional antennas
15784	AP4021i int ant ROW	Altitude AP4021i single-radio thin (dependent) indoor Access Point for the Rest of the World regulatory domain, 802.11a/b/g/n, 2x2 MIMO, Includes internal omni-directional antennas
15785	AP4021e ext ant US	Altitude AP4021i single-radio thin (dependent) indoor Access Point for US regulatory domain, 802.11a/b/g/n, 2x2 MIMO, External antennas not included-must separately up to 4 paddle antennas
15788	AP4021e ext ant ROW	Altitude AP4021i single-radio thin (dependent) indoor Access Point for the Rest of World regulatory domain, 802.11a/b/g/n, 2x2 MIMO, External antennas not included-must separately up

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
		to 4 paddle antennas
15804	AP4021i int ant EU	Altitude AP4021i single-radio dependent indoor Access Point for European Union regulatory domain, 802.11a/b/g/n, 2x2 MIMO,integrated internal omni-directional antennas
15808	AP4021e ext ant EU	Altitude AP4021e single-radio dependent indoor Access Point for European Union regulatory domain, 802.11a/b/g/n, 2x2 MIMO, External antennas not included-must order separately up to 2 paddle antennas
ADSP Appliance		
SV1252P1	ADSP Appliance 1252	AirDefense Appliance Model 1252. 1U entry-level appliance for small wireless environments that expect limited growth
SV1252BK1	ADSP Appliance 1252 Backup	AirDefense Backup Appliance Model 1252. Only available to customers who have purchased a primary server appliance of the same type
SV3652P1	ADSP Appliance 3652	AirDefense Appliance Model 3652. 1U mid-size appliance for medium wireless environments that expect moderate growth
SV3652BK1	ADSP Appliance 3652 Backup	AirDefense Backup Appliance Model 3652. Only available to customers who have purchased a primary server appliance of the same type
NX-9500-100AD-WR	NX9500 ADSP Platform	NX9500 Integrated Services Platform with ADSP software installed - providing superior performance, security and scalability for large WLAN deployments or significant growth.
ADSP WLAN Management Software & Licenses		
ADIMDVP1	LIC-WLAN Mgmt Devices 0001	AirDefense WLAN Management license for 1 device.
ADIMDVP25	LIC-WLAN Mgmt Devices 0025	AirDefense WLAN Management license for 25 devices
ADIMDVP50	LIC-WLAN Mgmt Devices 50	AirDefense WLAN Management license for 50 devices
ADIMDVP100	LIC-WLAN Mgmt Devices 100	AirDefense WLAN Management license for 100 devices

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
ADIMDVP200	LIC-WLAN Mgmt Devices 200	AirDefense WLAN Management license for 200 devices
ADIMDVP500	LIC-WLAN Mgmt Devices 500	AirDefense WLAN Management license for 500 devices
ADIMDVP1000	LIC-WLAN Mgmt Devices 1000	AirDefense WLAN Management license for 1000 devices
ADIMDVP2500	LIC-WLAN Mgmt Devices 2500	AirDefense WLAN Management license for 2500 devices
ADRFDVP1	LIC-LiveRF Devices 0001	AirDefense LiveRF license for 1 device
ADRFDVP25	LIC-LiveRF Devices 0025	AirDefense LiveRF license for 25 devices
ADRFDVP50	LIC-LiveRF Devices 0050	AirDefense LiveRF license for 50 devices
ADRFDVP100	LIC-LiveRF Devices 0100	AirDefense LiveRF license for 100 devices
ADRFDVP200	LIC-LiveRF Devices 0200	AirDefense LiveRF license for 200 devices.
ADRFDVP500	LIC-LiveRF Devices 0500	AirDefense LiveRF license for 500 devices.
ADRFDVP1000	LIC-LiveRF Devices 1000	AirDefense LiveRF license for 1000 devices.
ADRFDVP2500	LIC-LiveRF Devices 2500	AirDefense LiveRF license for 2500 devices.
ADATSNP1	LIC-Adv Tbleshoot 1 Sensor Lic	AirDefense Advanced Troubleshooting license for one (1) sensor
ADFESNP1	LIC-Adv Forensic 1 Sensor Lic	AirDefense Advanced Forensic Analysis license for one (1) sensor
ADAPSNP1	LIC-AP Test 1 Lic	AirDefense AP Test license for one (1) sensor
ADCMCP1	LIC-Central Mgmt Console 1 Lic	AirDefense Centralized Management Console License for one (1) Appliance

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
ADCTSNP1	LIC-Conn Troubleshoot 1 Lic	AirDefense Connectivity Troubleshooting license for one (1) sensor
MBSW2GP1	LIC-Mobile WLAN Analyzer 1 Lic	AirDefense Mobile WLAN analyzer software license for one (1) laptop
ADBNASNP1	LIC-Net Assurance Suite 1 Lic	AirDefense Network Assurance Suite license for one (1) sensor
ADSASNP1	LIC-Spectrum Analysis 1 Lic	AirDefense Spectrum Analysis license for one (1) sensor
ADSNFLP1	LIC-WLAN Int Prevent 1 Lic	AirDefense Enterprise base Wireless Intrusion Prevention license for one (1) sensor
ADVASNP1	LIC-WV Assessment 1 Lic	Wireless Vulnerability Assessment license 1 sensor
Other Accessories & Bundles		
25-85391-01R	Adapter RPSMAM-NM	Adapter RPSMAM-NM
25-85392-01R	Adapter RPSMAM-NF	Adapter RPSMAM-NF
25-90262-01R	Adapter RPSMAF-NF	Adapter RPSMAF-NF
25-90263-01R	Adapter RPSMAF-NM	Adapter RPSMAF-NM
50-16000-182R	ACCord NEMA 1-15P	AC Line Cord, 1.8M ungrounded, two wire, NEMA 1-15P US, for power supplies 50-14000-243R
50-16000-255R	ACCord CEE7/16	AC Line Cord, 1.8M ungrounded, two wire, CEE7/16 Europe, Abu Dhabi, Bolivia, Dubai, Egypt, Iran, Korea, Russia, Vietnam For power supply 50-14000-243R
50-16000-664R	ACCord GB2099-1-1996	AC Line Cord, 1.8M ungrounded, two wire, GB 2099-1-1996 plug Associated Country: China For power supply 50-14000-243R
50-16000-666R	ACCord AS 3112	AC Line Cord, 1.8M ungrounded, two wire, AS 3112 plug Associated Country: Australia For power supply 50-14000-243R
50-16000-670R	ACCord BS 1363	AC Line Cord, 1.8M ungrounded, two wire, BS 1363 Plug Associated Countries: Bermuda, Hong Kong, Iraq, Malaysia, Singapore, and United Kingdom For power supply 50-14000-243R
86-120786-01	ACCord BS 1363	AC Line Cord, 1.8M ungrounded, two wire, BS 1363 Plug Associated Countries: Bermuda, Hong Kong, Iraq, Malaysia, Singapore, and United

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
		Kingdom
AP-PSBIAS-1P3-AFR	8023at Gb PoE Inj	Single-port High Power Gigabit 8023at Power Injector, IEC320-C19
AP-PSBIAS-2P2-AFR	IEEE802.3af GigaBit POE injector	External IEEE802.3af GigaBit POE injector for AP4021, AP4521, AP4511, or AP4600
AP-PSBIAS-7161-US	OUTDOOR POE INJECTOR US	OUTDOOR IP66 802.3AT GIGABIT ETHERNET POWER INJECTOR 100-240 VAC US
AP-PSBIAS-7161-WW	OUTDOOR POE INJECTOR ROW	OUTDOOR IP66 802.3AT GIGABIT ETHERNET POWER INJECTOR 100-240 VAC INTL
KT-135628-01	Altitude WLAN AP's Mounting Kit	Universal Mounting Kit for WLAN AP's
KT-147407-01	AP4760 MNT HW KIT	Altitude 4760 MOUNTING HARDWARE KIT
KT-150173-01	AP4760 12 INCH EXT ARM	Altitude 4760 12 INCH EXTENSION ARM FOR MOUNTING KIT
KT-153143-01	AP4760 OUTDOOR POE MNT KIT	Altitude 4760 OUTDOOR POE MOUNTING KIT
KT-153676-01	AP4760 RJ45 WEATHERIZED CONN	Altitude 4760 RJ45 Weatherized connector plug
KT-6511-0000D-WR	AP4511 Opt 3-port Eth Module	Optional three-port Ethernet Module for AP4511
ML-1499-10JK-01R	LLC CableJump 10	10 ft Low-Loss coaxial cable jumper: N Male to N Male
ML-1499-25JK-01R	LLC CableJump 25	25 ft Low-Loss coaxial cable jumper: N Male to N Male with 2 connector seal kits
ML-1499-50JK-01R	LLC CableJump 50	50 ft Low-Loss coaxial cable jumper: N Male to N Male with 2 connector seal kits
ML-2452-APA2-01	Antenna 25G3dBOMni	Antenna: 2.4/5 GHz, Indoor: Type: Dipole (Paddle): Gain: 3dBi/2.4GHz, 4dBi/5GHz: Beam Width: E-Plane: 35 degrees, H-Plane: 360 degrees: Connector: RP-SMA Male
ML-2452-APAG2A1-02	Antenna 2G5G3dB Omni White	Antenna 2G and 5G 3dB Omni for indoor White Color
ML-2452-HPA5-036	Antenna outdoor 2G5G3dB Omni	Antenna 2G and 5G 3dB Omni directional Dipole for outdoor use

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
ML-2452-HPAG5A8-01	OUTDOOR WIPS SENSOR	Dual-band WIPS Sensor (required for Sensor SKUs Only)
ML-2452-LAK1-01R	2.4/5G LightArrest	2.4/5 GHz, Lightning Arrestor (N Female to N Female) with N Male to RP-SMA Male adapter
ML-2452-PNA5-01R	Antenna 25G5dBDIR	Antenna: 2.4/5 GHz, Outdoor, Panel, 5 dBi, Beam Width: E-Plane: 65 degrees, H-Plane: 120 degrees, Connector Type N-Male
ML-2452-PNA7-01R	Antenna 25G7dBDIR	Antenna: 2.4/5 GHz, Outdoor, Panel, 7 dBi, Beam Width: E-Plane: 66 degrees, H-Plane: 68 degrees, Connector Type N-Male
ML-2499-BYGA2-01R	Antenna 2G14dBDIR	Antenna: 2.4 GHz, Outdoor, Type: Yagi: Gain (Net): 14.2dBi (13.9dBi): Beam Width: E-Plane: 30 degrees, H-Plane: 35 degrees: Cable: 12 inches: Connector: Type N Female
ML-2499-FHPA5-01R	Antenna 2G5dBOMni	Antenna: 2.4 GHz, Outdoor, Type: Dipole Array (Pipe), Omni-Directional, 5 dBi, Beam Width: E-Plane: 25 degrees, H-Plane: 360 degrees, Connector type N Male
ML-2499-FHPA9-01R	Antenna 2G9dBOMni	Antenna: 2.4 GHz, Outdoor, Type: Dipole Array (Pipe), Omni-Directional, 9 dBi, Beam Width: E-Plane: 14 degrees, H-Plane: 360 degrees, Connector type N Male
ML-2499-HPA4-01	ANTENNA OUTDOOR 4dBi 2.4GHZ	Outdoor Rated; Type: Dipole; Gain: 4dBi @ 2.4GHz; Connector: N-Male
ML-2499-HPA8-01	ANTENNA OUTDOOR 8dBi 2.4GHZ	Environment: Outdoor Rated; Type: Dipole; Gain: 8 dBi @2.4GHz; Connector: N-Male
ML-5299-HPA10-01	ANTENNA OUTDOOR 10dBi 5GHZ	Environment: Outdoor Rated; Type: Dipole; Gain: 10 dBi @5.0GHz@4.9GHz; Connector: N-Male
ML-5299-HPA1-01R	Antenna 5G5dBOMni	Antenna: 5 GHz, Outdoor, Type: Dipole Array (Pipe): Gain (Net): 5.9dBi (5dBi): Beam Width: E-Plane: 17 degrees, H-Plane: 360 degrees: Cable: 36 inches: Connector: RP-SMA Male
ML-5299-HPA5-01	ANTENNA, OUTDOOR,5dBi 5GHZ	Outdoor Rated; Type: Dipole; Gain: 5dBi @5.0GHz; Connector: N-Male
ML-5299-WPNA1-01R	Antenna 5G13dBDIR	Antenna: 5 GHz, Outdoor, Type: Panel: Gain (Net): 14.2dBi (13dBi): Beam Width: E-Plane: 27 degrees, H-Plane: 31 degrees: Cable: 36 inches: Connector: RP-SMA Male

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
PWRS-14000-148R	Ext PSU for AP4022 or AP4522	External Power Supply for the AP 4022 or the AP 4522
PWRS-14000-244R	Power Module WM3400	Spare Power module for WM3400 Controller
PWRS-147376-01R	Ext PSU for AP4021 or AP4521	External Power Supply for the AP 4021 or the AP 4521
RAN4054A	ANTENNA OUTDOOR 8 dBi 2.4GHZ	Environment: Outdoor Rated Down tilt; Type: Dipole; Gain: 8 dBi @2.4GHz; Connector: N-Male
RFS-4011-MTKT2U-WR	Summit WM3411 Rack Mount Kit	Summit WM3411 Rack Mount Kit
SPSWSVP1	ADSP Server Software License	AirDefense ADSP Server Software License for Primary Server on non-AirDefense appliances. Note: Must add a first-year maintenance/service program to this SKU
SWSSPSWSV10	SVC ADSP 1 year Support	1 Year Software Support for AirDefense Secure Platform; price per server license. Includes technical support and software updates for Secure Platform software license.
SWSSPSWSV30	SVC ADSP 3 year Support	3 Year Software Support for AirDefense Secure Platform; price per server license. Includes technical support and software updates for Secure Platform software license.
15755	Facade Antenna for 4700 AP	Integrated snap-on dual-band omni-directional facade antenna for 4700 series Access Points. Snaps over the AP housing and the wires are connected to the antenna ports on the AP. Antenna gain 3dBi/5dBi on 2.4/5 GHz bands
15777	T-bar AP Mount Bracket 1PC	Wireless Mounting Bracket for ceiling T-bar mount for 46xx & 47xx Access Points 1 Pack
15787	T-bar AP Mount Bracket 10PC	Wireless Mounting Bracket for ceiling T-bar mount for 46xx & 47xx Access Points TEN Pack
18005	16504 X44024P 15783 AP4021i US12	Wireless Bundle consisting of Qty 1 X440-24p and Qty 12 Altitude 4021i AP US regulatory domain
18006	16504 X44024P 15784 AP4021i WW12	Wireless Bundle consisting of Qty 1 X440-24p and Qty 12 Altitude 4021i AP Worldwide regulatory domain
18007	16504 X44024P 15785	Wireless Bundle consisting of Qty 1 X440-24p and Qty 12 Altitude 4021e

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
	AP4021e US12	AP including Qty 48 Antenna's US regulatory domain
18008	16504 X44024P 15788 AP4021e WW12	Wireless Bundle consisting of Qty 1 X440-24p and Qty 12 Altitude 4021e AP including Qty 48 Antenna's Worldwide regulatory domain
18011	16506 X44048P 15764 AP4532i US6	Wireless Bundle consisting of Qty 1 X440-48p and Qty 6 Altitude 4532i AP US regulatory domain
18012	16506 X44048P 15765 AP4532i WW6	Wireless Bundle consisting of Qty 1 X440-48p and Qty 6 Altitude 4532i AP Worldwide regulatory domain
18013	16506 X44048P 15767 AP4532e US6	Wireless Bundle consisting of Qty 1 X440-48p and Qty 6 Altitude 4532e AP including Qty 36 Antenna's US regulatory domain
18014	16506 X44048P 15768 AP4532e WW6	Wireless Bundle consisting of Qty 1 X440-48p and Qty 6 Altitude 4532e AP including Qty 36 Antenna's Worldwide regulatory domain
18001	16502 X4408P 15761 AP4511 US06	Wireless Bundle consisting of Qty 1 X440-8p and Qty 6 Altitude 4511 AP US regulatory domain
18002	16502 X4408P 15762 AP4511 WW06	Wireless Bundle consisting of Qty 1 X440-8p and Qty 6 Altitude 4511 AP Worldwide regulatory domain
18003	16504 X44024P 15761 AP4511 US12	Wireless Bundle consisting of Qty 1 X440-24p and Qty 12 Altitude 4511 AP US regulatory domain
18004	16504 X44024P 15762 AP4511 WW12	Wireless Bundle consisting of Qty 1 X440-24p and Qty 12 Altitude 4511 AP Worldwide regulatory domain
18009	16506 X44048P 15761 AP4511 US12	Wireless Bundle consisting of Qty 1 X440-48p and Qty 12 Altitude 4511 AP US regulatory domain
18010	16506 X44048P 15762 AP4511 WW12	Wireless Bundle consisting of Qty 1 X440-48p and Qty 12 Altitude 4511 AP Worldwide regulatory domain
18015	16502 X4408P 15782 AP4511 EU06	Wireless Bundle consisting of Qty 1 X440-8p and Qty 6 Altitude 4511 AP European Union regulatory domain
18016	16504 X44024P 15782 AP4511 EU12	Wireless Bundle consisting of Qty 1 X440-24p and Qty 12 Altitude 4511 AP European Union regulatory domain
18017	16504 X44024P 15804 AP4021i EU12	Wireless Bundle consisting of Qty 1 X440-24p and Qty 12 Altitude 4021i AP European Union regulatory domain
18018	16504 X44024P 15808 AP4021e EU12	Wireless Bundle consisting of Qty 1 X440-24p and Qty 12 Altitude 4021e AP including Qty 48 Antenna's European Union regulatory domain

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Part Number	Product Name	Product Description
18019	16506 X44048P 15782 AP4511 EU12	Wireless Bundle consisting of Qty 1 X440-48p and Qty 12 Altitude 4511 AP European Union regulatory domain
18020	16506 X44048P 15798 AP4532i EU6	Wireless Bundle consisting of Qty 1 X440-48p and Qty 6 Altitude 4532i AP European Union regulatory domain
18021	16506 X44048P 15799 AP4532e EU6	Wireless Bundle consisting of Qty 1 X440-48p and Qty 6 Altitude 4532e AP including Qty 36 Antenna's European Union regulatory domain
20512	16504 X44024P 15761 AP4511 US12	Wireless Bundle consisting of Qty 1 X440-24p and Qty 12 Altitude 4511 AP US regulatory domain
15828	Summit WM3951 WLAN Controller	Summit WM3951 WLAN controller with 4x10GE ports. 2RU height. Redundant Hot Swap Power Supplies. Manages up to 10,240 Access Points and 4,096 RF domains. AP capacity & feature licenses sold separately. Power cord sold separately.
15829	128 AP Lic for WM395X Cntrlr	128 AP capacity license for WM395X family of controllers
BKSV4250P1	ADSP Appliance 4250 Backup	AirDefense Backup Appliance Model 4250. Only available to customers who have purchased a primary server appliance of the same type. Note: Must add a first-year maintenance/service program to this product SKU
SV4250P1	ADSP Appliance 4250	AirDefense Appliance Model 4250. 2U high-end appliance for large multi-site deployments that expect significant growth. Note: Must add a first-year maintenance/service program to this product SKU

Last Supported Wireless Mobility OS Release

Wireless Mobility OS 5.5 will be the last supported major release for all the products affected by this End-of-Sale announcement.

Definitions

- **End-of-Sales Announcement Date:** Date of official End-of-Sales notice.
- **End-of-Sales Date:** The last date to order the product through Extreme Networks® point-of-sale mechanisms. The product is no longer offered for sale after this date.
- **End-of-Life Date:** The last date a product will be supported by Extreme Networks.


Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

End of Sales Milestone

Platform	EOS Announce Date	EOS Date	Last Supported Release Stream	EOL SW Date	EOL HW Date
Summit Controllers (WM3700/3600/3400/3411)	09/30/2014	06/30/2015	5.5	12/30/2016	06/30/2020
Altitude Access Points (AP4700, AP4600, AP4500 & AP4000)	09/30/2014	06/30/2015	5.5	12/30/2016	06/30/2020
ADSP Re-Sale Products	09/30/2014	09/30/2014	N/A	N/A	N/A


Replacement Products

Product	Available Today			Identifi™			
ADSP	 ADSP 1250 (Entry Level)	 ADSP 3650 (Mid Level)	 ADSP NX9500 (Large Scale)	NetSight Radar			
Controllers	 WM 3400 (Up to 36 APs)	 WM 3600 (Up to 256 APs)	 WM 3700 (Up to 1024 APs)	C5210 C25 V2110			
	 WM 3411 – Integrated Wired/Wireless Controller (Up to 36 APs)						
High Performance AP 802.11n AP, 3x3 MIMO & Dual/Tri Radio. Adaptive AP & 3G	 4763	 4762	 4750	 4710	3865 e 3825 i/e		
Mid Tier AP 802.11n AP, 2x3 or 2x2 MIMO & Dual Radio. Thin & Adaptive AP	 4532	 4610	 4620	 4522	 4022	 4532-IL	3715 i/e 3710 i/e
Value Tier AP 802.11n AP, 2x2 MIMO, Single Radio. Thin & Adaptive AP	 4621	 4611	 4521	 4511	 4021		3705 i

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.

Extreme Networks Identifi™ Wireless Solution Overview



To learn more about Identifi™ Wireless solution visit: <http://learn.extremenetworks.com/rs/extreme/images/Identifi-BR.pdf>

Terms & Conditions

Orders are subject to product availability, Extreme Networks shall not have any liability for failure to meet a delivery date.

Ongoing Support

New contracts may *only* be added in the first 12 months following the end-of-sale date. Existing contracts may be renewed during the first 4 years of the end-of-support period, provided that during the period following the end-of-sale date, the hardware replacement services provided do not include any 4-hour or onsite services, and that the contract expiration date does not extend beyond the end-of-support date as specified above. During the support period, replacement of product and/or repairs may be limited by availability of components. Extreme Networks reserves the right to change prices and/or discontinue any service plans at any time on end-of-sale product. For detailed information regarding service pricing on this end-of-sale product, please consult your local Extreme Networks sales representative for the most recent price list.

Contact Information

For more product information, please contact Arun Solleti at (919) 595-4921: asolleti@extremenetworks.com

For service information, please contact Charlie Wiseman at (919) 595-4148: cwiseman@extremenetworks.com

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.



General Disclaimer. Although Extreme Networks has attempted to provide accurate information with this document, Extreme Networks assumes no responsibility for the accuracy of the information. Extreme Networks may change its release schedules, programs, product specifications, or definitions mentioned in the document at any time without notice. Any reference to non-Extreme Networks products or services is for information purposes only and constitutes neither an endorsement nor a recommendation.

Extreme Networks Confidential and Proprietary. Do not distribute without the express written consent of Extreme Networks, Inc.
Specifications Are Subject To Change Without Notice.

Extreme Networks, the Extreme Networks Logo, Altitude, Summit and Unified Access RF Manager are either registered trademarks or trademarks of Extreme Networks, Inc. in the United States and/or other countries. All other names and marks are the property of their respective owners.